

TECHNICAL PARAMETERS (STOCK ORGANOLEPTIC EVALUATION)	UNIT OF MEASURE	CONTRACT VALUES	LIMIT VALUES		NON-CONTRACTUAL LIMITS - REDUCED VALUE BIOMASS FUEL	
			MINIMAL	MAXIMAL	MINIMUM	MAXIMUL
GRANULATION: LENGTH / (0)	MM	30/08	20/06	40/08	40/08	50/10
INCLUSION CONTENT *	SZT	0	0	0	0	10***
MOISTURE CONTENT MAR **	%	10.0	N.D	20.0	20.0	25.0
CRUSHING CONTENT (SUBFRACTION)	%	5	N.D	10	10	20
CONTRACT PARAMETERS (LABORATORY ANALYSIS)	UNIT OF MEASURE	CONTRACT VALUES	LIMIT VALUES			
			MINIMAL	MAXIMAL		
CALORIFIC VALUE QV, NET, AR	KJ / KG	17000	15000		N/A	
AAR ASH CONTENT	%	3.0	N/A		6.0	
<p>* - INCLUSIONS UNDERSTOOD AS: STONES, BOTTLES, PLASTIC ELEMENTS, BOARDS, CHARRING, WOOD-BASED RESIDUES INCREASING THE VALUE ENERGY, OTHER TYPES OF BIOMASS AND OTHER POLLUTANTS.</p> <p>** - IN THE FIRST STAGE IT WILL BE CARRIED OUT WITH A PORTABLE DEVICE; IF THE TEST WITH A PORTABLE DEVICE SHOWS A PARAMETER VALUE ABOVE THE MAXIMUM VALUE, AN ADDITIONAL TEST WILL BE PERFORMED WITH THE USE OF A MOISTURE ANALYZER</p> <p>*** - APPLIES TO ELEMENTS SUCH AS: STONES, BOARDS</p>						

☎ +97142100300

@ info@arkan-group.com

🌐 www.arkan-group.com

📍 Office 205, Aspect Tower, Zone B Business Bay, Dubai

